

Retest Information



CLARIANT

BU Care Chemicals

Contact

For further information or updated statements please contact your habitual contact person at Clariant

21.Feb. 2025

Dear Customer,
the following batch retest was carried out at your request:

Material name: Sapogenat T 300

Material number: 107976

Batch number: DEG4606442

Agreed sample: customer sample

Please find the retest results of the agreed sample in the document attached hereto. For the sake of simplicity the results are presented in the format of a certificate of analysis. Nevertheless, this document does not replace the certificate of analysis originally issued.

In our opinion, this product can be used until the "best before date" stated in the enclosed document. However, we would like to point out that the results of the retest and the quality of the product or sample are significantly influenced by the storage conditions and drawing of the customer sample, if any. As these factors are beyond our control, we can only provide a non-binding recommendation. No additional warranty or obligation is assumed with this retest information. The initial agreement on shelf life and liability remains unaffected. The final decision on use of the product lies with the customer.

This document was generated electronically and is therefore valid without signature.

Issuer: [Inge Russinger / QA-specialist]

Clariant Produkte (Deutschland) GmbH
Gendorf site, Quality Management
Fax: ++49 8679 / 7-5063

Bayer Sas
74, rue gorge de loup
F-69009 LYON

I n s p e c t i o n c e r t i f i c a t e
according to EN10204-3.1

Date: 21.02.2025
Page: 1 / 1

Material : Sapogenat T 300 O/D-Fass 0200
Material-no. : 10797630677
Batch No. : DEG4606442

On the batch, of which the consignment is a part, the following values were determined.

Inspection characteristic/-method	Specification	Result
Consistence at 20°C visual		Wax
Iodine color number EN 1557	<= 2	<= 1 [-]
pH value 1 % a.i. in water DIN EN 1262	6,0 - 8,0	7,0 [-]
Viscosity at 70°C ISO 6388	65 - 75	69 mPa·s

Date of production: 05.01.2023

Best before date: 21.02.2026

The above particulars do not release the customer from the obligation to carry out an inspection of goods received.

Helmut Madl (inspection representative)